

Sample Submission and Reporting Form

**RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS**

**Sample Collection:**

**Date:** 02/20/17    **Time:** 11:00    **Collector:** Joe Briscoe  
**Temperature Controls:**    **Raw:** 37 °F    **Processed:** 2.5 °C    **Size:** Half Gallon  
**Processor/Distributor:**    Ran-Lew Dairy #40843    **ID#:** 37-167

**Sample Receipt:**

**Date:** 02/21/17    **Time:** 07:25  
**Temperature:**    **Raw:** 1.0 °C    **Processed:** 1.0 °C  
**Received by:** Denise Richardson

**Environmental Microbiology**

**Sample Group: ES022117-0080**

| SAMPLE INFORMATION |           |            |                     | RAW AND PROCESSED DAIRY PRODUCTS |           |                          |                         | CONTAINERS |      |      |
|--------------------|-----------|------------|---------------------|----------------------------------|-----------|--------------------------|-------------------------|------------|------|------|
| Lab No             | Code Date | Size       | Description         | Residual Phos                    | Inhibitor | Petrifilm Coliform Count | Petrifilm Aerobic Count | DMSCC      | PRBC | PRCC |
| 277                | 3-8       | 1/2 Gallon | Whole               | Not Found                        | Not Found | <1 EPCC/ml               | <250 EPAC/ml            |            |      |      |
| 278                | 3-8       | 1/2 Gallon | Lowfat              | Not Found                        | Not Found | <1 EPCC/ml               | <250 EPAC/ml            |            |      |      |
| 279                | 3-8       | 1/2 Gallon | Chocolate           | Not Found                        | Not Found | <1 EHSCC/mL              | <250 EPAC/ml            |            |      |      |
| 280                | 3-8       | 1/2 Gallon | Buttermilk          | Not Found                        |           | <1 EHSCC/g               |                         |            |      |      |
| 281                |           | 100 mL     | In Plant Raw #1 37* |                                  | Not Found |                          | <2,500 EPAC/ml          |            |      |      |

**CONTROLS:**

**Analyzed By:** Darneice Owens  
**Plating Date:** 02/21/17    **Time:** 08:35  
**Temperature when Analyzed:** 1.0 °C

**Comment:**

**Approved By:** Susan Beasley



**PAC:** 0    **Equip:** 0  
**Air Density:** 0 /15 min    **Diluent and NB:** 0/-  
**Incubation Temperature:** 32.0 °C  
**Inhibitor Test Used:** Delvo P5  
**Inhibitor Positive Control:** Purple  
**Inhibitor Negative Control:** Yellow