



North Carolina State Laboratory of Public Health

Environmental Sciences

Microbiology

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive
MSC 1918
Raleigh, NC 27699-1918

http://slph.ncpublichealth.com
Phone: 919-733-7308
Fax: 919-715-8611

FINAL REPORT

Sample Collection:

Date: 07/24/2018 Time: 09:30 Collector: Jeff Richardson
Temperature Controls: Raw: 36 °F Processed: 37 °F Size: Half Gallon
Processor/Distributor: Milkco Inc.
ID #: 37-82

Sample Receipt:

Date: 07/25/2018 Time: 07:35
Temperature: Raw: 1.0 °C Processed: 1.0 °C
Received by: Denise Richardson

Environmental Microbiology

Sample Group: **ES180725-0118**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1358	08/15/18	Half Gallon	Sealtest Baking BM	Not Found		<1 eHSCC/g				
1359	08/11/18	Half Gallon	Sealtest Chocolate	Not Found	Not Found	<1 eHSCC/mL	<250 ePAC/mL			
1359	08/15/18	Half Gallon	Sealtest Whole BM	Not Found		<1 eHSCC/g				
1361	08/11/18	Half Gallon	Sealtest 2%	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
1362	08/11/18	Half Gallon	Laura Lynn 1%	Not Found	Not Found	<1 ePCC/mL	<250 ePAC/mL			
1363	08/15/18	Half Gallon	Laura Lynn FF Buttermilk	Not Found		<1 eHSCC/g				
1364	08/06/18	8 oz.	Sealtest 1% Chocolate	Not Found	Not Found	8 HSCC/mL	<250 ePAC/mL			
1365	08/10/18	Half-pint	Sealtest FF Chocolate	Not Found	Not Found	<1 eHSCC/mL	<250 ePAC/mL			
1366		3 oz.	Reverse Osmosis		Not Found		14,000 PAC/mL			
1367		3 oz.	RT-8		Not Found		6,900 PAC/mL			
1368		3 oz.	RT-9		Not Found		14,000 PAC/mL			
1369		3 oz.	RT-10		Not Found		99,000 PAC/mL			

Comment:

Date Reported: 07/31/2018

Reported By: **Susan Beasley**