



# North Carolina State Laboratory of Public Health

## Environmental Sciences

### Microbiology

#### RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive  
MSC 1918  
Raleigh, NC 27699-1918  
<http://slph.ncpublichealth.com>  
Phone: 919-733-7308  
Fax: 919-715-8611

**FINAL REPORT**

#### Sample Collection:

Date: 12/18/2018      Time: 09:30      Collector: Jeff Richardson  
Temperature Controls: Raw: 36 °F      Processed: 38 °F      Size: Half Gallon  
Processor/Distributor: Milkco Inc. Ashville  
ID #: 37-

#### Sample Receipt:

Date: 12/19/2018      Time: 07:30  
Temperature: Raw: 1.0 °C      Processed: 1.0 °C  
Received by: Denise Richardson

#### Environmental Microbiology

Sample Group: **ES181219-0150**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS				CONTAINERS		
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
2361	01/05/19	Half Gallon	Sealtest Chocolate	Not Found	Not Found	<1 HSCC/mL	<250 ePAC/mL			
2362	01/14/19	Half Gallon	Sealtest FF Buttermilk	Not Found		<1 HSCC/g				
2363	01/14/19	Half Gallon	Sealtest Whole Buttermilk	Not Found		<1 HSCC/g				
2364	01/06/19	Half Gallon	Sealtest Skim	Not Found	Not Found	<1 PCC/mL	360 PAC/mL			
2365	01/09/19	Quart	Sealtest Egnog	Not Found		<1 HSCC/g	<250 ePAC/g			
2366	01/09/19	Quart	Sealtest Light Egg Nog	Not Found		<1 HSCC/g	<250 ePAC/g			
2367	01/05/19	8 oz.	Sealtest 1% Chocolate	Not Found	Not Found	<1 HSCC/mL	<250 ePAC/mL			
2368	01/02/19	Half-pint	Sealtest FF Chocolate	Not Found	Not Found	<1 HSCC/mL	<250 ePAC/mL			
2369		3 oz.	RT- 0		Not Found		13,000 PAC/mL			
2370		3 oz.	RT - 3		Not Found		<2,500 ePAC/mL			
2371		3 oz.	RT - 6		Not Found		10,000 PAC/mL			
2372		3 oz.	RT - 11		Not Found		120,000 PAC/mL			

**Comment:** NOTE: All coliform results should read as <1 Estimated/mL or <1 Estimated/g.

**Date Reported:** 12/28/2018

**Reported By:** Susan Beasley