



North Carolina State Laboratory of Public Health

Environmental Sciences

Microbiology

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive
MSC 1918
Raleigh, NC 27699-1918
<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

AMENDED REPORT

Sample Collection:

Date: 01/02/2019 **Time:** 16:00 **Collector:** Chuck Wood
Temperature Controls: **Raw:** **Processed:** 36 °F **Size:** Half Gallon
Processor/Distributor: Dairyfresh Winston-Salem
ID #: 37-083

Sample Receipt:

Date: 01/03/2019 **Time:** 07:30
Temperature: **Raw:** **Processed:** 1.0 °C
Received by: Denise Richardson

Environmental Microbiology

Sample Group: **ES190103-0137**

SAMPLE INFORMATION				RAW AND PROCESSED DAIRY PRODUCTS					CONTAINERS	
Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
1	01/24/19	Half Gallon	Fat Free Buttermilk	Not Found		<1 eHSCC/g				
2	01/23/19	Half Gallon	Whole Buttermilk	Not Found		<1 eHSCC/g				
3	01/20/19	Half Gallon	Whole Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
4	01/16/19	Half-pint	2% Milk	Not Tested	Not Tested	Not Tested PCC/ml	Not Tested RAC/mL			
5	01/15/19	Half Gallon	Skim Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
6	01/14/19	Half Gallon	1% Chocolate Milk	Not Found	Not Found	<1 eHSCC/mL	<250 eRAC/mL			
7	01/17/19	Half-pint	1% Milk	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			

Comment: Rapid Aerobic Count (RAC) plates used in testing. NOTE: Sample #4, 2% Milk, had leaked in cooler when received and was not analyzed. Paper carton was not sealed well at the top and the weight of the ice forced the milk out of the container. Amended Report: Whole milk RAC result was not showing on previous report.

Date Reported: 04/02/2019

Reported By: Susan Beasley