



North Carolina State Laboratory of Public Health

Environmental Sciences

Microbiology

RAW MILK, PASTEURIZED DAIRY PRODUCTS AND CONTAINERS

4312 District Drive
MSC 1918
Raleigh, NC 27699-1918
<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

FINAL REPORT

Sample Collection:

Date: 04/16/2019 Time: 09:30 Collector: Jeff Richardson
Temperature Controls: Raw: 38 °F Processed: 38 °F Size: Half Gallon
Processor/Distributor: Milkco Inc. Asheville NC
ID #: 37-82

Sample Receipt:

Date: 04/17/2019 Time: 07:30
Temperature: Raw: 1.0 °C Processed: 1.0 °C
Received by: Denise Richardson

Environmental Microbiology

Sample Group: **ES190417-0143**

SAMPLE INFORMATION

RAW AND PROCESSED DAIRY PRODUCTS

CONTAINERS

Lab No	Code Date	Size	Description	Residual Phos	Inhibitor	Petrifilm Coliform Count	Petrifilm Aerobic Count	DMSCC	PRBC	PRCC
735	05/04/19	Half Gallon	Sealtest Chocolate	Not Found	Not Found	<1 eHSCC/mL	<250 eRAC/mL			
736	05/13/19	Half Gallon	Sealtest Baking BM	Not Found		<1 eHSCC/g				
737	05/13/19	Half Gallon	Sealtest Whole BM	Not Found		<1 eHSCC/g				
738	05/13/19	Half Gallon	Laura Lynn Skim BM	Not Found		<1 eHSCC/g				
739	05/01/19	Half Gallon	Laura Lynn Skim Delux	Not Found	Not Found	<1 ePCC/mL	<250 eRAC/mL			
740	05/04/19	Half Gallon	1% Nutrish	Not Found		<1 eHSCC/mL				
741	04/30/19	8 oz.	Sealtest 1% Chocolate	Not Found	Not Found	<1 eHSCC/mL	<250 eRAC/mL			
742	05/04/19	Half-pint	Sealtest FF Chocolate	Not Found	Not Found	<1 eHSCC/mL	<250 eRAC/mL			
743		3 oz.	RT-8		Not Found		3,400 RAC/mL			
744		3 oz.	RT-9		Not Found		10,000 RAC/mL			
745		3 oz.	RT-10		Not Found		7,400 RAC/mL			
746		3 oz.	RT-11		Not Found		2,600 RAC/mL			

Comment:

Date Reported: 04/24/2019

Reported By: Susan Beasley